



PURCHASE ORDER

Procurement Unit
Tel. No.: (045) 606-8142/ 606-8157

DELIVERY DUE DATE: 5/6/2022

Supplier: **LABTRADERS, INC.**
Address: #89 Jasmin St., Roxas District, Quezon City, Metro Manila
Type of Business: Merchandising
TIN No.: 008-306-697-000
Tel. No.: (02) 376-6657/ 376-6658

PR No.: 2022-02-042
PO No.: 2022-158
Date: 3/29/2022
Mode of Procurement: Small value

Gentlemen:
Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY**
Date of Delivery:
Delivery Term: 30 calendar days
Payment Term: n/30

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
1	set	WALK-IN-FUME HOOD , Model/Catalog #: FH1500 (W), Brand: Biobase, Origin: China, Specifications: External Size (WxDxH): 1500x800x2200mm, Internal Size (WxDxH): 1280x600x1650mm, Max Opening: 1300mm, Exhaust Airflow Volume: 1500m ³ /h, Inflow Air Velocity: 0.3~0.8m/s, Noise: 62dB, Vibration: XYZ direct ≤4um, illumination: ≥800Lux, LED Lamp: 16Wx2, Power Supply: AC220V±10%, 50/60Hz; 110Vx10%, 60Hz, Consumption: 600W, Front Window: Manual, Toughened glass, Material Exterior: 1.0mm, cold-rolled steel with bacteria powder coating, Material Interior: High grade melamine board with good acid and alkali resistance function, Standard Accessory: Blower (External), LED lamp, Water tap, Gas tap, PP cup sink, Remote control water valve, Remote control gas valve, Waterproof sockets x4, 4 meters PVC exhaust duct and Fabricated Table with roller, Sockets: Total load of 4 water proof sockets: ≤500W, Package Size(WxDxH) Main Body: 1710 x 1050 x 2430mm, Exhaust Blower: 1040 x 890 x 710mm, Certifications: CE, ISO 9001, ISO 13485, and NQA Conformity, Features: Fume Hood is used to protect lab environment and operator during general chemical applications. It actively protects operator from inhaling toxic vapors and dramatically reduces the risk of fire and explosion. By installing proper filter, it can also protect environment.	1	385,000.00	385,000.00

[Total Amount in Words] Two Thousand Two Hundred Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. ARMEE N. ROSEL
VP, Research & Extension Services
Authorized Official

Conforme:
RONALDO P. MENDOZA / APRIL 6, 2022
LABTRADERS, INC.

(Signature over printed name & date)
Bank Account Name: **LABTRADERS, INC.**
Bank Account Number: **066-1092-521**
Bank Name: **Landbank**
Bank Address: **No. 60 AGS Plaza, Quezon Ave., Quezon City**

COMMISSION ON AUDIT, TSU
RECEIVED
By:
Date: **APR 07 2022**

Funds Available:

JASPER A. YAUDER, CPA
Budget Officer

ALOBS No.: **AG-20644-2022-03-001**
Amount: **₱ 385,000.00**



PURCHASE ORDER

DELIVERY DUE DATE: 5/6/2022

Procurement Unit
Tel. No.: (045) 606-8142 / 606-8157

Supplier: **LABTRADERS, INC.**
Address: #89 Jasmin St., Roxas District, Quezon City, Metro Manila
Type of Business: Merchandising
TIN No.: 008 306-697-000
Tel. No.: (02) 376-6657 / 376-6658

PR No.: 2022-02-042
PO No.: 2022-158
Date: 3/29/2022
Mode of Procurement: Small value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: 30 calendar days
Date of Delivery: Payment Term: n/30

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
		<p>Advantage:</p> <ol style="list-style-type: none"> With memory function in case of power-failure. Operators are available to walk into the fume hood to operate if need. Large room exhaust system, suitable for large laboratory instruments and equipment. <p>Package Includes the Following:</p> <p>1-unit Table, with ball caster w/ lock 1000x800mm</p> <p>1-unit Top Loading Balance, Model: Quintix5100-1s, Brand: Sartorius, Origin: Germany, Description: Application Area: Education, Production, Research and development, Other, General Laboratory, Food & Beverage, Pharmacies Special Laboratory Applications: Mixing, Components, Statistics, Conversion Standard Laboratory Applications: Weighing, Density, Percentage, Check Weighing, Peak Hold, Counting Unstable Conditions, Animal Weighing Calibration History: Yes, Data Interface: Mini USB, Data Transfer: Direct transfer to Windows® applications, Programmable interval for data output, Data transfer protocols SBI - table format - text format Connectivity: PC-direct data transfer. Plug & Play to Sartorius printer Weighing Pan Diameter: a 180mm, Adjustment: Internal automatic (isCAL), Anti-Theft Locking Device: Kensington Lock, lockdown capability for cable or</p>			

(Total Amount in Words) Two Thousand Two Hundred Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. ARMEEN ROSEL
VP, Research & Extension Services
Authorized Official

Conformed: *Ronald P. Mendoza*
RONALDO P. MENDOZA / APRIL 6, 2022

LABTRADERS, INC.

(Signature over printed name & date)

Bank Account Name: **LABTRADERS, INC.**
Bank Account Number: **066-1092-521**
Bank Name: **Landbank**
Bank Address: **No. 60 AGS Plaza, Quezon Ave., Quezon City**

COMMISSION ON AUDIT - TSU
RECEIVED
By: *[Signature]* Date: **APR 07 2022**

Funds Available:

Jasper A. Yauder
JASPER A. YAUDER, CPA
Budget Officer

ALORS No.: 06-206441-2022-03-001
Amount: ₱ 25,000



PURCHASE ORDER

DELIVERY DUE DATE: 5/6/2022

Procurement Unit
Tel. No.: (045) 606-8142/ 606 8157

Supplier : **LABTRADERS, INC.**
Address : #89 Jasmin St., Roxas District, Quezon City, Metro Manila
Type of Business : Merchandising
TIN No. : 008 306-697-000
Tel. No. : (02) 376-6657/ 376-6658

PR No.: 2022-02-042
PO No.: 2022-158
Date: 3/29/2022
Mode of Procurement: Small value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY**
Date of Delivery:

Delivery Term: 30 calendar days
Payment Term: n/30

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
		chain Housing Protection: Acetone cleanable housing, Glass parts of the draft shield are coated to reduce electrostatic influences, In-use cover. Dust cover for balances with draft shield, Languages: English, French, German, Hungarian, Italian, Polish, Portuguese, Russian, Spanish, Turkish, Chinese, Japanese, Korean, Leveling: Manual, Maximum Weighing Capacity: 5,100g, Readability: 1g, Repeatability: 1g, Tamper Protection: Supervisor lock, Typical Stabilization Time: 1.5s, Underfloor Weighing: Yes, Chemical Resistance: Yes, Linearity: 1g, Minimum Sample Weight according to USP (typical): 820g, Weighing Units: g, ct, mom, kg, lb, oz, ozt, tH, tis, tit, GN, dwt, mg, parts lb, tic, Kt, tol, bat, MS, N, Line Voltage: 100-240V, 50-60Hz, Balance Type: Precision balance 1-unit Variable Single Mechanical Proline Plus Pipettor, 100-1000ul w/ Tips 960pcs, Model: 728070/ 791000, Brand: Sartorius, Origin: Germany, Description: Volume 100-1000ul, increment 1.0ul, Systematic Error for test volumes 100ul needs 2.5ul, 500 ul needs 4.0ul and 1000ul needs 7.0ul, Easy volume adjustment with click stop system, Large display for easy reading of volume- For both right and left handed users. Color coded for easy matching of fitting tips, Materials have high chemical and UV resistance to secure long life-time of the pipette, Easy cleaning only with 3 parts needed to disassemble for deep cleaning.			

(Total Amount in Words) Two Thousand Two Hundred Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. ARMEE N. ROSEL
VP, Research & Extension Services
Authorized Official

Conformed: *Ronald P. Mendoza*
RONALDO P. MENDOZA / APRIL 6, 2022
LABTRADERS, INC.

(Signature over printed name & date)

Bank Account Name: **LABTRADERS, INC.**
Bank Account Number: **066-1092-521**
Bank Name: **Landbank**
Bank Address: **No. 60 AGS Plaza, Quezon Ave., Quezon City**

COMMISSION ON AUDIT - TSU
RECEIVED
APR 07 2022
By: *[Signature]* Date: Time:

Funds Available:
Jasper A. Yauder
JASPER A. YAUDER, CPA
Budget Officer

ALOBS No. : 06-206441-2022-03-0011
Amount : ₱325,000

No.: TSU-PRO-SF-09 | Revision No. 03

Effectivity Date - August 24, 2020 | Page 3 of 4



PURCHASE ORDER

Procurement Unit
Tel. No.: (045) 606-8142/ 606-8157

DELIVERY DUE DATE: 5/6/2022

Supplier : **LABTRADERS, INC.**
Address : **#89 Jasmin St., Roxas District, Quezon City, Metro Manila**
Type of Business : **Merchandising**
TIN No. : **008-306-697-000**
Tel. No. : **(02) 376-6657 / 376-6658**

PR No.: **2022-02-042**
PO No.: **2022-158**
Date: **3/29/2022**
Mode of Procurement: **Small value**

Gentlemen:
Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: **30 calendar days**
Date of Delivery: _____ Payment Term: **n/30**

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
		<p>without any tools, Safe-cone filters available for extra protection when using non-filtered tips, With light tip ejector, Fully autoclavable without the need for disassembly, Superior Ergonomics- designed handle and finger hook, Good Thermal Insulation to avoid transfer of heat from hand to mechanical spring coil, Pipetting force of 15N to avoid Repetitive Strain Injury (RSI), With click stop as volume locking, Length 239mm, Weight of 82 grams</p> <p>NOTE: Inclusion 1 year warranty, Installation Commissioning of Equipment with Calibration Certificate with sticker/ Recertification for Fume hood and Actual Training to the End User</p> <p>..... Purpose: To be used for the equipment for fat analysis for the project on the standardization of Chicharon Camiling</p>			

(Total Amount in Words) Two Thousand Two Hundred Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Conformed:
RONALDO P. MENDOZA / APRIL 6, 2022

Very truly yours,

DR. ARMEE N. ROSEL
VP, Research & Extension Services
Authorized Official

LABTRADERS, INC.
(Signature over printed name & date)
Bank Account Name: **LABTRADERS, INC.**
Bank Account Number: **066-1092-521**
Bank Name: **Landbank**
Bank Address: **No. 60 AGS Plaza, Quezon Ave., Quezon City**

COMMISSION ON AUDIT - TSU
RECEIVED
By: Date: **APR 07 2022**

Funds Available:

JASPER A. YAUDER, CPA
Budget Officer

ALOBS No. : **16-206441-2022-03-0011**
Amount : **₱385,000**



PURCHASE ORDER

DELIVERY DUE DATE: 5/6/2022

Procurement Unit
Tel. No.: (045) 606-8142/ 606-8157

Supplier : **LABTRADERS, INC.**
Address : #89 Jasmin St., Roxas District, Quezon City, Metro Manila
Type of Business : Merchandising
TIN No. : 008-306-697-000
Tel. No. : (02) 376-6657/ 376-6658

PR No.: 2022-02-042
PO No.: 2022-158
Date: 3/29/2022
Mode of Procurement: Small value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: 30 calendar days
Date of Delivery: Payment Term: n/30

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
1	set	WALK-IN-FUME HOOD , Model/Catalog #: FH1500 (W), Brand: Biobase, Origin: China, Specifications: External Size (WxDxH): 1500x800x2200mm, Internal Size (WxDxH): 1280x600x1650mm, Max Opening: 1300mm, Exhaust Airflow Volume: 1500m ³ /h, Inflow Air Velocity: 0.3~0.8m/s, Noise: 62dB, Vibration: XYZ direct ≤4um, Illumination: ≥800Lux, LED Lamp: 16Wx2, Power Supply: AC220V±10%, 50/60Hz; 110Vx10%, 60Hz, Consumption: 600W, Front Window: Manual, Toughened glass, Material Exterior: 1.0mm, cold-rolled steel with bacteria powder coating, Material Interior: High grade melamine board with good acid and alkali resistance function, Standard Accessory: Blower (External), LED lamp, Water tap, Gas tap, PP cup sink, Remote control water valve, Remote control gas valve, Waterproof sockets x4, 4 meters PVC exhaust duct and Fabricated Table with roller, Sockets: Total load of 4 waterproof sockets: ≤500W, Package Size(WxDxH) Main Body: 1710 x 1050 x 2430mm, Exhaust Blower: 1040 x 890 x 710mm, Certifications: CE, ISO 9001, ISO 13485, and NQA Conformity, Features: Fume Hood is used to protect lab environment and operator during general chemical applications. It actively protects operator from inhaling toxic vapors and dramatically reduces the risk of fire and explosion. By installing proper filter, it can also protect environment.	1	385,000.00	385,000.00

(Total Amount in Words) Two Thousand Two Hundred Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. ARMEE N. ROSEL
VP, Research & Extension Services
Authorized Official

Conforme:

LABTRADERS, INC.
(Signature over printed name & date)

Bank Account Name: _____
Bank Account Number: _____
Bank Name: _____
Bank Address: _____



Funds Available:

JASPER A. YAUDER, CPA
Budget Officer

ALOBS No. : 06-206441- 2022-03-001
Amount : ₱385,000-



PURCHASE ORDER

Procurement Unit

Tel. No.: (045) 606-8142 / 606-8157

DELIVERY DUE DATE: 5/6/2022

Supplier : **LABTRADERS, INC.**
 Address : #89 Jasmin St., Roxas District, Quezon City, Metro Manila
 Type of Business : Merchandising
 TIN No. : 008-306-697-000
 Tel. No. : (02) 376-6657 / 376-6658

PR No.: 2022-02-042
 PO No.: 2022-158
 Date: 3/29/2022
 Mode of Procurement: Small value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY**
 Delivery Term: 30 calendar days
 Date of Delivery:
 Payment Term: n/30

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
		Advantage: 1. With memory function in case of power-failure. 2. Operators are available to walk into the fume hood to operate if need. 3. Large room exhaust system, suitable for large laboratory instruments and equipment. Package Includes the Following: 1-unit Table , with ball caster w/ lock 1000x800mm 1-unit Top Loading Balance , Model: Quintix5100-1s, Brand: Sartorius, Origin: Germany, Description: Application Area: Education, Production, Research and development, Other, General Laboratory, Food & Beverage, Pharmacies Special Laboratory Applications: Mixing, Components, Statistics, Conversion Standard Laboratory Applications: Weighing, Density, Percentage, Check Weighing, Peak Hold, Counting, Unstable Conditions, Animal Weighing Calibration History: Yes, Data Interface: Mini USB, Data Transfer: Direct transfer to Windows@ applications, Programmable interval for data output, Data transfer protocols SBI - table format - text format Connectivity: PC-direct data transfer, Plug & Play to Sartorius printer Weighing Pan Diameter: a 180mm, Adjustment: Internal automatic (isCAL), Anti-Theft Locking Device: Kensington Lock, lockdown capability for cable or			

(Total Amount in Words) Two Thousand Two Hundred Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. ARMB N. ROSEL

VP, Research & Extension Services

Authorized Official

Conforme:

LABTRADERS, INC.

(Signature over printed name & date)

Bank Account Name: _____
 Bank Account Number: _____
 Bank Name: _____
 Bank Address: _____



Funds Available:

JASPER A. YAUDER, CPA
 Budget Officer

ALOBS No. : 06-206441- 2022-03-0011

Amount : ₱ 225,000 -



PURCHASE ORDER

DELIVERY DUE DATE: 5/6/2022

Procurement Unit
Tel. No.: (045) 606-8142/ 606-8157

Supplier : **LABTRADERS, INC.**
Address : #89 Jasmin St., Roxas District, Quezon City, Metro Manila
Type of Business : Merchandising
TIN No. : 008-306-697-000
Tel. No. : (02) 376-6657/ 376-6658

PR No.: 2022-02-042
PO No.: 2022-158
Date: 3/29/2022
Mode of Procurement: Small value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: 30 calendar days
Date of Delivery: Payment Term: n/30

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
		chain Housing Protection: Acetone cleanable housing, Glass parts of the draft shield are coated to reduce electrostatic influences, In-use cover, Dust cover for balances with draft shield, Languages: English, French, German, Hungarian, Italian, Polish, Portuguese, Russian, Spanish, Turkish, Chinese, Japanese, Korean, Leveling: Manual, Maximum Weighing Capacity: 5,100g, Readability: 1g, Repeatability: 1g, Tamper Protection: Supervisor lock, Typical Stabilization Time: 1.5s, Underfloor Weighing: Yes, Chemical Resistance: Yes, Linearity: 1g, Minimum Sample Weight according to USP (typical): 820g, Weighing Units; g, ct, mom, kg, lb, oz, ozt, tH, tis, tit, GN, dwt, mg, parts lb, tic, Kt, tol, bat, MS, N, Line Voltage: 100-240V, 50-60Hz, Balance Type: Precision balance 1-unit Variable Single Mechanical Proline Plus Pipettor, 100-1000ul w/ Tips 960pcs, Model: 728070/ 791000, Brand: Sartorius, Origin: Germany, Description: Volume 100-1000ul, increment 1.0ul, Systematic Error for test volumes 100ul needs 2.5ul, 500 ul needs 4.0ul and 1000ul needs 7.0ul, Easy volume adjustment with click stop system, Large display for easy reading of volume- For both right and left handed users, Color coded for easy matching of fitting tips, Materials have high chemical and UV resistance to secure long life-time of the pipette, Easy cleaning only with 3 parts needed to disassemble for deep cleaning,			

(Total Amount in Words) Two Thousand Two Hundred Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. ARMEE N. ROSEL
VP, Research & Extension Services
Authorized Official

Conforme:

LABTRADERS, INC.
(Signature over printed name & date)

Bank Account Name: _____
Bank Account Number: _____
Bank Name: _____
Bank Address: _____

COMMISSION ON AUDIT, TSU
RECEIVED
By: Date: APR 07 2022

Funds Available:
JASPER A. YAUDER, CPA
Budget Officer

ALOBS No.: 06-206441-2022-03-001
Amount: ₱ 333,000 -



PURCHASE ORDER

DELIVERY DUE DATE: 5/6/2022

Procurement Unit
Tel. No.: (045) 606-8142/ 606-8157

Supplier : **LABTRADERS, INC.**
Address : #89 Jasmin St., Roxas District, Quezon City, Metro Manila
Type of Business : Merchandising
TIN No. : 008-306-697-000
Tel. No. : (02) 376-6657 / 376-6658

PR No.: 2022-02-042
PO No.: 2022-158
Date: 3/29/2022
Mode of Procurement: Small value

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: 30 calendar days
Date of Delivery: Payment Term: n/30

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
		<p>without any tools, Safe-cone filters available for extra protection when using non-filtered tips, With light tip ejector, Fully autoclavable without the need for disassembly, Superior Ergonomics- designed handle and finger hook, Good Thermal Insulation to avoid transfer of heat from hand to mechanical spring coil, Pipetting force of 15N to avoid Repetitive Strain Injury (RSI), With click stop as volume locking, Length 239mm, Weight of 82 grams</p> <p>NOTE: Inclusion 1 year warranty, Installation Commissioning of Equipment with Calibration Certificate with sticker/ Recertification for Fume hood and Actual Training to the End User</p> <p>***** Purpose: To be used for the equipment for fat analysis for the project on the standardization of Chicharon Camiling</p>			

(Total Amount in Words) Two Thousand Two Hundred Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed

Very truly yours,

DR. ARMEE N. ROSEL
VP, Research & Extension Services
Authorized Official

Conforme:

LABTRADERS, INC.
(Signature over printed name & date)

Bank Account Name: _____
Bank Account Number: _____
Bank Name: _____
Bank Address: _____



Funds Available:

JASPER A. YAUDER, CPA
Budget Officer

ALOBS No. : 06-206441- 2022-03-001/
Amount : ₱385,000